

Nikon Nikkorex 35

Fabricant (si # de la marque) :		Pays de fabrication :	Japon
Début de fabrication :	1960	Fin de fabrication :	1962
Rareté :	Rare	Page du McKeown :	722
Type d'appareil :	Reflex SLR		

Film

Type de film :	135	Nombre maxi de vues :	36
Format :	24 x 36 mm	Format :	
Format :		Format :	
Avancement :	Levier	Position :	Sur le capot
Rembobinage :	Manivelle	Position :	Sur le capot

Exposition

Cellule :	Au sÁ©Á©nium	Position :	Sur la faÁ§ade
Sensibilité :			

Obturateur

Marque de l'obturateur :	Citizen	Modèle de l'obturateur :	MVL
Type d'obturateur :	Central	Vitesses :	1 Á 1/500, B

Objectif

Type d'objectif :	Standard	Montage de l'objectif :	A complÁ©ments optiques
Marque de l'objectif :	Nikon	Modèle de l'objectif :	Nikkor
Monture d'objectif :		Mode de map :	StigmomÁ©tre
Focale :	50 mm	Ouverture maxi :	2,5

Divers

Type de pile :		Couleur du soufflet :	
Forme du soufflet :		Décentrement horizontal :	
Décentrement vertical :		Second viseur :	
Type de viseur :	Interne fixe		

Ce Nikon a un look très particulier, très anguleux, car, s'il s'agit bien d'un appareil reflex, son bosselage n'abrite pas un prisme, mais un viseur Porro.

Dans un viseur de ce type, l'image est renvoyée vers l'oculaire par un jeu de plusieurs petits miroirs et non par un prisme optique. Cette technique est encore utilisée de nos jours sur des appareils reflex numériques, car elle offre une grande compacité et évite le bosselage sur le capot. Par exemple, le Digilux 3 de Leica a un viseur Porro.

Le résultat sur ce Nikkorex 35 est certes discutable.


Cet appareil est à compléments optiques : 5,6/38 mm et 5,6/90 mm.

Le Nikkorex 35-II, successeur en 1962 du 35, sera très légèrement redessiné. L'obturateur deviendra un Seikosha SLV

www.collection-appareils.fr

See your picture as it will look.

TOWER 37: you compose without guesswork... see exactly what the lens sees... get exactly what you see



Automatic diaphragm gives maximum viewing brightness **\$99.95** \$5 cash down

Combines the sureness of single-lens reflex composing with true lens interchangeability in a single camera. Bring distant subjects nearly three times closer with 135mm f:2.8 telephoto lens. Sweeping scenic shots outdoors, large family groups indoors, the 35mm f:2.8 wide angle lens gets it all.

Extra lenses (sold at right) have automatic diaphragm... bayonet mounts for quick, positive changing. Single-stroke rapid advance lever moves film to next frame, cocks shutter and prevents double exposure.

Get sharp, sparkling photos in color and black and white with fast, 48mm f:2.8 lens. Take beautiful pictures close as 1.75 feet with ground glass focusing. Precision focal plane shutter has speeds 1 to 1/500 second plus bulb. Synchronized for flash, (takes 3C8900 flash, see page 57) and electronic flash. Take exciting close-ups inches away.

Extension rings and flexible bellows attachment let you shoot objects actual size (for copying, etc.) and larger. With microscope attachment on your microscope, you can actually photograph subjects invisible to the eye. Close-up attachments sold below.

Built-in film reminder scale, smooth rapid film rewind lever. Automatic film counter. Depth of field scale. All metal body, leather trim. Uses series 7 filters. From Japan.

- 3C7434C-Camera. Shpg. wt. 3 lbs. . . . \$99.95
- 3C7435-Leather Camera Case. Wt. 1 lb. 7.95
- (1) 3C7437C-Telephoto Lens. Wt. 2 lbs. 74.95
- (2) 3C7436C-Wide Angle Lens. Wt. 1 lb. 59.95
- 3C8114-Filter Adapter. Shpg. wt. 3 oz. . . 4.95
- (3) 3C7430-Bellows Attachment. Shipping weight 1 lb. \$14.95
- (4) 3C7432-Extension Rings. Wt. 1 lb. . 8.95
- (5) 3C7431-Microscope Attachment. Shipping weight 1 lb. \$11.95



TAKE IT WITH A TOWER 35mm



See your full picture brilliantly, sharply through the pentaprism viewfinder. Cocking diaphragm keeps lens wide open to focus... stops down to preset "f" stop automatically.

Never again can the problem of parallax cause you to lose part of your picture. Get as much or as little in your picture as you like. The Tower reflex shows it all... even when you change lenses. Extra viewfinders for lenses are unnecessary.



35mm Nikkorex... follow-pointer light meter

\$130.00 \$5 down cash

Famous Nikkor quality optical system plus coupling of lens, shutter and meter for quick, accurate picture-taking. Indicators in viewfinder, meter window show correct exposure. Bright, clear focusing... automatic diaphragm opens lens to focus, stops down when shutter released. One stroke advances film, cocks shutter and opens lens.

Synchronized for bulbs and electronic flash. Uses 3C8900 flash on page 57. Shutter speeds 1 to 1/500 second plus bulb and self timer. 50mm f:2.5 Nikkor lens focuses to 2 feet. Swift film rewind with fold-away rewind handle. Exposure

counter automatically resets after every roll. Brilliant focusing in viewfinder has built-in split image rangefinder. Takes 90mm f:5.6 telephoto and 35mm f:5.6 wide angle attachment-type conversion lenses... without parallax.

Lenses (sold below) include cases. Uses series 6 filters (see page 60). All metal body, leather trim. From Japan.

- C3C7452C-Nikkorex Camera with case. Nikkor f:2.5 lens. Shpg. wt. 4 lbs. \$130.00
- 3C8132-Filter Adapter. Shpg. wt. 3 oz. . . . 2.85
- C3C7453C-Telephoto Lens. Wt. 1 lb. 49.00
- C3C7454-Wide Angle Lens. Wt. 8 oz. 44.00

