

Sears Tower 10A

Fabricant (si # de la marque) :		Pays de fabrication :	Japon
Début de fabrication :	1961	Fin de fabrication :	0
Rareté :	Rare	Page du McKeown :	876
Type d'appareil :	Compact		

Film

Type de film :	135	Nombre maxi de vues :	36
Format :	24 x 36 mm	Format :	
Format :		Format :	
Avancement :	Levier	Position :	Sur le capot
Rembobinage :	Manivelle	Position :	Sur le capot

Exposition

Cellule :	Autre	Position :	Sur la façade
Sensibilité :	8 Å 800 asa		

Obturateur

Marque de l'obturateur :	Copal	Modèle de l'obturateur :	
Type d'obturateur :	Central	Vitesses :	1 Å 1/500, B

Objectif

Type d'objectif :	Standard	Montage de l'objectif :	Fixe
Marque de l'objectif :	Mamiya	Modèle de l'objectif :	Sekor
Monture d'objectif :		Mode de map :	TÃ©mÃ©trique couplÃ©e
Focale :	48 mm	Ouverture maxi :	2,8

Divers

Type de pile :		Couleur du soufflet :	
Forme du soufflet :		Décentrement horizontal :	
Décentrement vertical :		Second viseur :	
Type de viseur :	TÃ©mÃ©trique couplÃ© au viseur		


Le modèle d'origine est vraisemblablement un Mamiya Ruby 2,8.

www.collection-appareils.fr

www.collection-appareils.fr

TOWER 10A: Built-in coupled exposure meter

One twist and you've set exposure... then focus, aim, shoot



- 1 Assures perfect picture exposure with extra-sensitive light meter. To use it just set speed of film, line up needles in meter window.
- 2 Gives you more time for composing because it takes less time to set. A single turn of lens or shutter ring gives correct camera exposure.

35mm Camera has sharp, coated f:2.8 lens

\$55.00 \$5 down
cash


So easy to use almost anyone can take beautiful color slides, sparkling black and white prints. 10 shutter speeds to choose from . . . 1 to 1/500 second plus bulb for still or action photos. Built-in self timer releases shutter automatically . . . lets you get into picture.

Fully synchronized for flash bulbs and electronic flash . . . takes 3C8900 flash on page 57. Double-image coupled rangefinder ends distance guessing. Assures a sharp picture every time . . . close as 3.5 feet without extra close-up attachments. Helps prevent accidental cropping of picture with parallax markings in bright-line frame viewfinder. Single-stroke film advance lever . . . in just one motion you cock shutter, count exposures, move new frame into position. Rapid rewind lever smoothly returns film to cartridge, saves time in changing films.

Light meter has wide range of film settings . . . ASA 8 to 800 . . . for popular films in color and black and white. Color-coded depth of field scale. Hinged back won't separate from camera, prevents damage while loading. Built-in shoe for quick mounting of flash to camera without brackets. All-metal body, leather trim. From Japan. Use series 6 filters.

- 3 C 7441C—Camera with meter. Shpg. wt. 3 lbs. \$55.00
- 3 C 7443—Leather Carrying Case. Wt. 1 lb. . . . 7.95
- 3 C 8132—Screw-in Filter Adapter. Wt. 3 oz. . . . 2.85

WHY WAIT? See page 82 for Sears Special Easy Terms on Photographic Equipment




Improve your pictures with Camera Accessories

- 1 Kopil Self-timer. Fits Leica, Rolleiflex. Won't fit Argus C3, C4, C44. Delays shutter up to 12 seconds. Metal. From Japan. 3 C 8254—Shpg. wt. 6 oz. . \$3.69
- 2 Kopil Self-timer. As above but fits Argus C3, C4, C44. 3 C 8255—Japan. Wt. 6 oz. \$2.69
- 3 Kodak Auto Release. Trips cable release at delays up to 10 seconds. Metal. X 3 C 8286—Shpg. wt. 6 oz. \$5.50
- 4 Ideal Combination Rangefinder-Flashmeter. Focuses 2½ ft. to infinity. Match guide number, distance for f-stop. 3 C 8252—Shpg. wt. 6 oz. . \$3.95
- 5 Accura Rangefinder. From 2½ ft. to infinity. With clip. 3 C 8253—Shpg. wt. 6 oz. . \$3.59
- 6 Kodak-type Cable Releases. For American cameras. Shpg. wt. ea. 1 oz. 3 C 8287—Metal. 7 in. . \$1.60 3 C 8293—As above but cloth covered and 6 in. long. . . . 49c
- 7 Compur-type. For most twin-lens reflexes. 10 in. 3 C 8294—Shpg. wt. 1 oz. . 49c
- 8 Leica-type. Fits most twin-lens reflexes. 10 in. 3 C 8295—Shpg. wt. 1 oz. . 95c
- 9 Merix Lens Cleaner. Prevents lens fogging. 4 oz. 3 C 6888—Shpg. wt. 12 oz. 69c
- 10 Delta Camel's Hair Lens Brush. Carries easily. 3 C 8281—Shpg. wt. 3 oz. . 98c
- 11 Accura Rangefinder. Pad of fifty 4x6 sheets. Shpg. wt. 3 oz. 3 C 8282—2 pads for. . . . 39c



You'll have complete camera control conveniently in one big, bright line viewfinder. One look shows you Magic Circle and meter pointer . . . line them up and you've got perfect exposure. Focus rangefinder and you've got perfect sharpness. Release shutter you'll get a perfect picture.



35mm Vitomatic IIA . . . expose, focus, view in one window

With case **\$118.45** \$5 down
cash

Specially ground 50mm f:2.8 Skopar lens gives you sharp, brilliant pictures in color and black and white. Prontor shutter has speeds 1 to 1/500 second plus bulb. Built-in synchronization for flash bulbs and speedlight . . . takes 3C8900 flash on page 57. Cable release socket. Self timer lets you get into picture. One-stroke film advance lever also cocks shutter, counts exposures, prevents double exposures. Metal body, leather trim. From Germany.

- 3 C 7418C—Vitomatic IIA Camera with leather case. Shpg. wt. 4 lbs. . . . \$118.45
- 3 C 8183—Screw-in Filter Adapter. Takes series 5 filters. Shpg. wt. 3 oz. . . . 2.40