

Sears Tower 29

Fabricant (si # de la marque) :		Pays de fabrication :	Japon
Début de fabrication :	1959	Fin de fabrication :	0
Rareté :	Rare	Page du McKeown :	877
Type d'appareil :	Reflex SLR		

Film

Type de film :	135	Nombre maxi de vues :	36
Format :	24 x 36 mm	Format :	
Format :		Format :	
Avancement :	Levier	Position :	Sur le capot
Rembobinage :	Manivelle	Position :	Sur le capot

Exposition

Cellule :	Non	Position :	
Sensibilité :			

Obturbateur

Marque de l'obturateur :		Modèle de l'obturateur :	
Type d'obturateur :	Plan focal	Vitesses :	1 Å 1/1000, T

Objectif

Type d'objectif :	Standard	Montage de l'objectif :	Interchangeable
Marque de l'objectif :	Asahi	Modèle de l'objectif :	Auto Takumar
Monture d'objectif :	42 Å vis	Mode de map :	Microprismes
Focale :	55 mm	Ouverture maxi :	1,9

Divers

Type de pile :		Couleur du soufflet :	
Forme du soufflet :		Décentrement horizontal :	
Décentrement vertical :		Second viseur :	
Type de viseur :	Interne fixe		

Le Tower 29 est très proche d'aspect du Tower 26. S'ils proviennent de la même marque, Pentax, ils ne sont pas issus du même modèle.


Le Tower 29 est un Pentax K. Celui est équipé d'une préselection du diaphragme.

www.collection-appareils.fr

www.collection-appareils.fr

see subject exactly as it will appear in picture

TOWER "26" 35mm Single-lens Reflex Camera Cut \$19.50



Advantages of penta-prism eye-level viewfinder


You can compose your pictures quickly . . . or frame fast-moving objects in thrilling action scenes!
Large full-size ground glass focusing screen has corner-to-corner brilliance for pinpoint accuracy. You view directly through camera lens (see illustration at left). No parallax ever!

- F:2.4 lens takes sharp pictures even in poor light
- Shutter speeds from 1/2 to 1/500 second and time
- Rapid film advance lever and shutter cocking
- Preset diaphragm control for faster operation

This Japanese-made camera is loaded with features usually found only on higher priced cameras. Versatile for all types of photography. Fast focal-plane shutter is synchronized for bulbs or electronic flash. No double exposures . . . you can't take one picture on top of another! Frame counter. Depth-of-field scale. All-metal body with leather covering. Camera is trim, compact, easy to handle.

Convenient interchangeable lens mount . . . see accessory lenses and attachments sold separately below. Uses 1 1/4-inch adapter, series 7 filters. Order flash unit 3AR8706 on page 30.


- T 3 AR 026—Tower "26" Camera. Shpg. wt. 3 lbs. \$150.00
- 3 AR 06118—Body only—no lens. Shpg. wt. 2 lbs. 129.50
- 3 AR 6258—Leather Eveready Case for "26." Shpg. wt. 1 lb. 5.95




Cut \$19.50
Was \$169.50 **\$150.00** cash
Only \$15 down

ONLY 10% DOWN on Easy Terms . . see page 82


New TOWER "29" f:1.9 35mm Single-lens Reflex . . built-in automatic diaphragm



Diaphragm of extra fast lens is wide open when focusing to give clear, brilliant view of subject . . . automatically closes down to preset f/ stop when you snap picture.



Micro-image viewing provides quick, accurate focusing under all light conditions. Finder has corner-to-corner brightness . . . you know when image is not in focus!



High-precision, razor-sharp 55mm 6-element f:1.9 lens is one of the fastest on a single-lens reflex camera. You can take superb photos even with poor light indoors.

Has all features above . . PLUS

- Ultra-high shutter speeds capture extremely fast-moving action . . . speeds from 1/1000 to 1 sec. and time
- One of the finest lenses in the world . . . diaphragm openings from f:1.9 to f:22 permit amazing versatility

Sears is proud to introduce the TOWER "29." This precision camera is designed to satisfy even the most critical professional. Feature for feature, we believe the TOWER "29" offers more for the money than any other single-lens reflex.

Penta-prism eye-level viewfinder permits quick, accurate focusing (described at top of page). Rapid film advance lever and shutter cocking . . . snap a picture every second! Made in Japan. Order case 3AR6258 above. All other features of "26." Please do not order TOWER "29" until Nov. 15, 1958.

- 3 AR 029—Tower "29." Shipping weight 3 lbs. \$179.50

f:1.9 lens **\$179.50** \$18.00 down cash

Telephoto and Wide-angle Lenses, Attachments

Will fit TOWER "26" and "29" above, plus Asahi Pentax, Practina and Practiflex cameras. Precision-made in Japan.

- 3 AR 07104—35mm f:3.5 Wide-angle Lens. Similar to "C" on facing page. Shipping wt. 1 lb. \$4.00 down. Cash \$37.00
- 3 AR 07149—135mm f:3.5 Telephoto Lens. Similar to "D" on facing page. Shipping wt. 1 lb. \$4.00 down. Cash \$39.95
- 3 AR 07029—250mm f:4 Telephoto Lens. Similar to "E" on facing page. Shipping wt. 2 lbs. \$12.00 down. Cash \$120.00
- 3 AR 6509—Microscope Attachment. Similar to "F" on facing page. Shipping weight 1 pound. \$12.50
- 3 AR 9680—Bellows Close-up Attachment. Similar to "G" on facing page. Shipping weight 1 pound. \$13.50
- 3 AR 6522—Close-up Extension Tubes. Similar to "H" on facing page. Shipping weight 1 pound. \$9.75
- 3 AR 09663—Range-finder Attachment. Similar to "I" on facing page. Shipping wt. 6 lbs. \$5.00 down. Cash \$49.95

